ID11a

ROOM IDENTIFICATION SIGN BRAILLE & TACTILE

CONSTRUCTION DETAILS

1. Changeable A4 insert panel with pivoting clear (Signlink Avant Guarde Display or similar)
2. Braille and tactile room number inserted into base of panel.


GRAPHICS DETAIL

FONT
Montserrat Bold


SIZE
Text= 26mm Cap 'X' height.

COLOUR
Panel = Charcoal
Text = White


Refer to Sheet 2 of 2 for location details




ONE LINE




TWO LINES



THREE LINES




LARGE MESSAGE









INSERT PANEL

Typical Graphic Layout

Scale 1:50

Unless otherwise noted all dimensions in millimetres. Use figured dimensions in preference to scaling. Contractor to confirm all dimensions and details on site prior to manufacture.

Due to this reproduction process the colours in this image are not exact representations, refer to Page C-09 for colour specification.

GENERAL CONSTRUCTION NOTES


Drawings show design intent. Any changes to specification which affects design intent must be approved by QUT Facilities Management. All structural members, fixings and/or footings to be confirmed by sign maker's engineer. Sign maker to confirm all details for approval on shop drawings prior to manufacture.

ID11a

ROOM IDENTIFICATION SIGN BRAILLE & TACTILE

LOCATION DETAIL


Refer to Sheet 1 of 2 for graphics & construction details



On right side of door | On left side of door | On left hand fixed Leaf of door | On right hand fixed Leaf of door

Typical Location - Solid Walls/Doors

Scale 1:50



On right side of door | On left side of door

Typical Location - Glass Walls/Doors

Scale 1:50

Unless otherwise noted all dimensions in millimetres. Use figured dimensions in preference to scaling. Contractor to confirm all dimensions and details on site prior to manufacture.

Due to this reproduction process the colours in this image are not exact representations, refer to Page C-09 for colour specification.

GENERAL CONSTRUCTION NOTES

Drawings show design intent. Any changes to specification which affects design intent must be approved by QUT Facilities Management. All structural members, fixings and/or footings to be confirmed by sign maker's engineer. Sign maker to confirm all details for approval on shop drawings prior to manufacture.